Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	@ad < "20011126" and "707". clas. and ((partition$5 near3 index) near10 log$5)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:24
L2	2039	@ad < "20011126" and "707". clas. and (index near5 log$5 neart (timestamp or time-stamp or (time adj stamp)))	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:21
L3	1657	@ad < "20011126" and "707". clas. and (partition$4 near5 index near5 log$5 neart (timestamp or time-stamp or (time adj stamp)))	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:21
L4	804	@pd < "20011126" and "707". clas. and (partition$4 near5 index near5 log$5 neart (timestamp or time-stamp or (time adj stamp)))	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:21
L5	0	@pd < "20011126" and "707". clas. and (partition$4 near5 index near5 log$5 near4 (timestamp or time-stamp or (time adj stamp)))	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:21
L6	2	@pd < "20011126" and "707". clas. and (index near5 log$5 near4 (timestamp or time-stamp or (time adj stamp)))	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:23
L7	1	"5204958".pn. and log$5	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:24
L8	1	"5204958".pn. and log$5 and time	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:24
L9	1	@ad < "20011126" and "707". clas. and (log$1 same timestamp same index same delete)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:25
L10	7	@ad < "20011126" and "707". clas. and (log$1 same timestamp same index)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:27
L11	1	"5924096".pn. and delet$5	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:26
L12	0	@ad < "20011126" and "707". clas. and (log$1 same timestamp same (least adj recently adj used))	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:27
L13	0	@ad < "20011126" and "707". clas. and (log$1 same (timestamp$1 or (time adj stamp$1) or time-stamp$1) same (least adj recently adj used))	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:28
L14	33	@ad < "20011126" and "707". clas. and ((timestamp$1 or (time adj stamp$1) or time-stamp$1) same (least adj recently adj used))	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:29

L15	3	@ad < "20011126" and "707". clas. and ((timestamp$1 or (time adj stamp$1) or time-stamp$1) same (least adj recently adj used) same log$5)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:30
L16	0	@ad < "20011126" and "707". clas. and ((timestamp$1 or (time adj stamp$1) or time-stamp$1) same (least adj recently adj used)) and (log same index)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:30
L17	3	@ad < "20011126" and "707". clas. and ((timestamp$1 or (time adj stamp$1) or time-stamp$1) same (least adj recently adj used)) and (log$4 same index$1)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:31
L18	0	@ad < "20011126" and "707". clas. and ((timestamp$1 or (time adj stamp$1) or time-stamp$1) same (least adj recently adj used)) and (log same index$1)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:31
L19	0	@ad < "20011126" and "707". clas. and ((timestamp$1 or (time adj stamp$1) or time-stamp$1) same (least adj recently adj used) same log$1)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:31
L20	4	@ad < "20011126" and "707". clas. and ((timestamp$1 or (time adj stamp$1) or time-stamp$1) same log$1) and (least adj recently adj used)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:31
S1	6	@pd < "20011126" and (row adj level adj locking)	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:17
S6	101	@pd < "20011126" and "707". clas. and (partition$5 near3 index)	US-PGPUB; USPAT	OR	OFF	2005/03/07 14:06
S7	40	@pd < "20011126" and "707". clas. and ((partition$5 near3 index) same updat$5)	US-PGPUB; USPAT	OR	OFF	2005/03/07 14:06
S8	31	@pd < "20011126" and "707". clas. and ((partition$5 near3 index) near10 updat$5)	US-PGPUB; USPAT	OR	OFF	2005/03/14 19:17
S9	341	@pd < "20011126" and "707". clas. and (file same archiv$5)	US-PGPUB; USPAT	OR	OFF	2005/03/07 15:36
S10	0	"5765168".pn. and lock$5	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:35
S11	2	@ad < "20011126" and ((row adj level adj locking) same index)	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:20
S12	29	@ad < "20011126" and (index same partition$1 same lock$4)	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:22

S13	1	"5960194".pn. and locking	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:25
S14	1	"5960194".pn. and updat$5	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:25
S15	1	"5765168".pn. and day	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:38
S16	0	("5765168".pn. or "5765168".pn.) and (timestamp$1 or time-stamp$1 or (time adj stamp$1))	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:39
S17	1	("5765168".pn. or "5765168".pn.) and (load$5)	US-PGPUB; USPAT	OR	OFF	2005/03/14 13:39